



# ConCore®: CC1500 Panel-24"



# **TOP VIEW**



# **SPECIFICATIONS**

#### General information

- Panel weight: 9.0 lbs./ft2 bare.
- 1-3/8 inches deep with no covering.
- All steel welded construction filled internally with a cementitious core material.
- Protected from corrosion by an epoxy paint finish.
- Class A flame spread rating.
- Non-combustible material.

# **UNDERSTRUCTURE OPTIONS**

- 4' Heavy Duty Bolted Stringer
- 2' Heavy Duty Bolted Stringer

### **COVERING OPTIONS**

Tile factory laminated with integral trim edge

☐ 1/8" HPL	_(Color)				
☐ 1/16" HPL					
☐ 1/8" Conductive HPL					
1/16" Conductive HPL					
For additional laminate options contact Inside Sales					
Bare Painted Panel Options					
Bare Painted Finish to acce	pt carpet tile application				
For additional laminate options contact Inside Sales					

#### System Performance Criteria

Bare Panel

System performance criteria are the most important to consider because they represent the performance in a typical installation. Panel only criteria such as concentrated load is often used to specify floor systems however, the test is not representative of an actual installation because it is performed with the panel resting on blocks, not actual understructure.

Tile w/ Integral Trim

System Performance Criteria (Tested on Actual Understructure)*										
System Type		SYSTEM	STATIC LOADS			ROLLING LOADS		IMPACT		
Panel	Understructure	WEIGHT	Design Loads	Safety Factor (min. 2.0)	Uniform Loads	10 Passes	10,000 Passes	LOADS		
ConCore CC1500-24"	Bolted Stringer	10.5 lbs / ft² 52 kg / m²	1500 lbs 680 kg	Pass	450 lbs / ft² 21.55 kPa	1250 lbs 567 kg	1000 lbs 454 kg	150 lbs 68 kg		

<sup>\*</sup>System load definitions and test procedure descriptions can be found in the Standard Product Tests and Methodology Guidelocated in the Resources section of Tate's web-site, www.tateaccessfloors.com.